



# Brokk

# 250



***Remote controlled power for heavy demolition***

# Brokk 250

## Hydraulic system


Brokk 250 is as standard prepared with separate pressure levels for hammers and crushers.

## Control system

Brokk 250 has a modern, analogue control system. All cables are protected to secure problem-free operation. Cable control is standard and the Brokk 250 can be equipped with optional radio control.

## Undercarriage

Solid rubber wheels make the machine very easy to manoeuvre. The Brokk 250 has an effective cooling system.




You improve the operators' working environment when the Brokk 250 is used for different kinds of building demolition. You spare operators the vibrations connected with the use of hand-held tools. And they can remain at a safe distance from falling debris, dust, and splinters.



Certain types of demolition may seem impossible, if you have not planned to use the Brokk 250. The machine can be manoeuvred, lifted, or hoisted up to the most exposed positions. In position, it has the strength and capacity required to perform the most difficult demolition work.



The Brokk 250 is our best selling model. It is used for many different kinds of demolition world-wide, within such industries as construction, processing, etc.



### Revolving table

- The slew ring is designed to withstand a great deal of stress. Unlimited rotation is possible thanks to the placing of the table connections.

### Arm system

- The Brokk 250 has a well-dimensioned arm system which makes it possible to work efficiently with hammers weighing as much as 350 kg (771 lb), which is unique for this kind of machine.

The machine's reach is 6.5 metres (253 in) with a hammer.

The machine is equipped with protection for the tilt cylinder and a quick hitch for easy replacement of tools.

### Electric motor

Thanks to the 22 kW motor, the Brokk 250 can carry very powerful tools. Subsequently it performs very heavy and difficult demolition tasks in an efficient way.

# Brokk on wheels

The Brokk 250 is our original model. The basic concept was developed in the mid-1970s. A powerful combination of reliable technology and continuous development are the basis of the Brokk 250's success around the world.

Unlike other members of the Brokk family, the 250 rides on rubber wheels. This makes it especially suitable for tasks where the state of the foundation requires extra consideration.

### Lightweight with heavyweight power

An electric motor with 22 kW of power drives the Brokk 250. The strength of the engine comes in handy when performing heavy demolition. Despite its small exterior dimensions and light weight, it can handle tools that normally require a carrier that is more than twice as heavy.

Design, construction, and a three-part robot arm give the demolition robot greater flexibility for different types of tasks. Thanks to the three-part robot arm, the Brokk has an extraordinary working radius. The machine

also has a low centre of gravity and strong support legs that keep it steady, even when the arm is fully extended.

### For all purposes

You can equip the Brokk 250 with different types of tools such as hydraulic hammers, concrete crushers, drilling equipment, different types of buckets, etc.

The Brokk 250 is used for different types of demolition within the construction, cement, nuclear and processing industries, etc. Its capacity and availability give you the prerequisites for profitable demolition.

### Safety with Brokk

Brokk makes the workplace safer. Operators control the machine with the aid of a remote control, which means that they can remain at a safe distance from falling debris. The standard Brokk machine is electrically powered, which also improves the working environment compared to diesel-powered machines.



## The Brokk Family



Facts	Products					
	Brokk 40	Brokk 90	Brokk 90	Brokk 180	Brokk 250	Brokk 330
Weight, kg (lb)	380 (794)	830 (1830)	930 (2050)	1900 (4190)	3060 (6750)	4100 (9030)
Width min. mm (in)	600 (23,6)	780 (30,7)	780 (30,7)	800 (31,4)	1200 (47,2)	1500 (58,5)
Height min. mm (in)	740 (28,8)	1210 (47,6)	1210 (47,6)	1342 (52,8)	1760 (69,3)	1540 (60,6)
Motor output, kW	4	7,5	11	15/18,5	22	30
Recommend./max. weight attachment, kg (lb)	60 (132)	75 (165)	120 (265)	230 (507)	350 (771)	550 (1210)

**Typical Brokk!** With more than 20 years of experience and as the leading manufacturer of demolition robots, we know what's needed. A world-wide sales and service organisation is your guarantee for quick, reliable service.

*Each Brokk machine is built to meet the most stringent requirements. When the situation seems hopeless, Brokk is the answer. Typical Brokk work!*

**You cannot afford to wait any longer.  
Welcome to the Brokk family!**

Pictures are illustrative only and do not necessarily show the configuration of products on the market at the given point in time. Products must be used in conformity with safe practice and applicable statutes, regulations, codes and ordinances.



**Brokk AB**  
P.O. Box 730  
SE-931 27 Skellefteå, Sweden  
Tel +46 910 711 800  
Fax +46 910 711 811  
E-mail: info@brokk.com, www.brokk.com